TERRACO®

TERRACOAT TEXTURED COATINGS

The House of Scandinavian Finishing Materials

TERRACOAT TEXTURED COATINGS

TERRACOAT BT
Application:
Colour: TX 168-3

TERRACOAT Smooth
Application:
Colour: TX 100-5

TERRACOAT Super Fine
Application:
Colour: TX 106-3

TERRACOAT Fine
Application:
Colour: TX 175-4

TERRACOAT Standard
Application:
Colour: TX 184-5

TERRACOAT Granule 1.0mm
Application:
Colour: TX 171-3

Also available in: 1.5mm

TERRACOAT Granule Filled 1.5mm
Application:
Colour: TX 172-4



TERRACOAT Excel 1.5mm (Vertical pattern)
Application:
Colour: TX 141-5

Also available in: 1.0, 2.0mm

TERRACOAT Suede
Application:
Colour: TX 144-5



Supertex Basecoat & Terrashine Gloss
Application:
Colour: TX 149-3

Trowel Spray Roller Spatula Brush

Recommended for TERRACO elfs

COLOURS

TERRACO

TX 156-1

TX 163-1

TX 167-1

TX 175-3

TX 106-4

TX 179-3

TX 183-3

TX 179-5

TX 180-5

TX 186-5

TX 163-2

TX 091-2

TX 173-4

TX 090-5

TX 168-4

TX 154-2

TX 077-4

TX 167-3

TX 171-4

TX 172-5

TX 162-4

TX 161-4

TX 144-4

TX 139-5

TX 145-4

TX 151-5

TX 051-6

TX 046-6

TX 036-6

TX 141-6

Most products are available in 3 chemistries: Acrylic, Silicone and Elastomeric.
Customised colours are available on request subject to minimum order requirements.

TERRACOAT TEXTURED COATINGS

While the Terracoat Textured Coatings range is traditionally used to decorate exterior facades, certain Terracoat Textured Coatings are ideally suited for use with Terraco EIFS (Exterior Insulation Finishing Systems – also referred to as EWI or ETICS in the industry), and have been appropriately highlighted in this catalogue. EIFS is an energy efficient thermal wrapping applied to the exterior surfaces of a building. This thermal wrapping is then finished with a long-life, decorative and protective Terracoat Textured Coating.

Certifications

- EOTA (European Technical Approval) – ETAG 004
- BBA Agrément Certificate (UK)
- Irish Agrément Board Certificate
- FED Compliant (US ARMY)
- Russian National Standard: Technical Certificate
- Romania National Institute (INCERC)
- Turkish Standard TSE
- U.A.E. / UAQ Civil Defence
- P.R. China Certified System



Reference Projects

Al Barari Villas, Dubai, U.A.E.

Rose Tower, Sharjah, U.A.E.

Future School, Al Ain, U.A.E.

Children's Cancer Hospital, Cairo, Egypt

Kempinski Hotel, Dead Sea, Jordan

TERRACO®

Terracoat Textured Coatings is a range of premium quality, ready-mixed textured coatings. These decorative wall coatings are available in 3 versions - acrylic based, silicone based and elastomeric based. Please consult your Terraco representative for advice on selecting the best product to meet your local performance requirements.

Formulated to last – they provide a unique combination of the highest quality architectural finishes with outstanding long term economy and durability. Characterised by ease of application and low material consumption – Terracoat Textured Coatings offer outstanding versatility and can be applied on a wide variety of substrates when suitably primed including concrete, sand / cement render, gypsum dry wall, plywood, chipboard, anti-rust primed steel and more.

Terracoat Textured Coatings are developed to withstand extreme climatic conditions and have been successfully applied in desert, tropical and arctic climates for over 35 years. Terracoat Coatings can be expected to last a minimum of 10 years and are backed by Terraco's international quality guarantee.

Terracoat Textured Coatings come in a wide range of textures and attractive colours, some of which are displayed in this catalogue. Using this catalogue, first select your texture and then select your colour of choice. Thereafter, contact your Terraco representative for an architectural sample for your approval.

ENVIRONMENTALLY FRIENDLY

Rev. 06/2019

www.terraco.com

SWEDEN • UK • IRELAND • RUSSIA • TURKEY • ALGERIA • EGYPT • SOUTH AFRICA • JORDAN • UAE • THAILAND • VIETNAM • CHINA • KOREA

Technical Data Sheets and Material Safety Data Sheets are available from your Terraco representative or on www.terraco.com. Although every precaution has been taken to ensure the accuracy of the colours and textures represented herein they should be considered indicative. Products containing natural aggregates may be susceptible to colour variation and we recommend that you order sufficient quantity for the complete project at one time. Terraco does not warrant the accuracy of the information provided herein and all information is subject to change without notice.
© All rights reserved. Terraco Holdings Ltd.